

DDP 6 TITANIUM (STE)

COMPACT INSTANTANEOUS WATER HEATER

PRODUCT-NO.: 208318

The main features

The instantaneous water heater supplies DHW to multiple draw-off points

Non-corroding copper heating element for a longer service life

Compact design for space saving installation

Highest safety standards due to integrated RCD (ELCB)

High level of safety thanks to the high limit safety cut-out





Type	DDP 6 TITANIUM (STE)
Part no.	208318

Technical data

Cold water connection	1/2 inch
Electrical fuse protection	ELCB
Rated output	6,000 W
Electrical connection	1/N/PE~220-240 V
Rated voltage	220-240 V
Rated current	27.3-29.6 A
Display	without
Heating element	Copper tubular
Type	Closed outlet
Automatic flow switch	true
Heating material	Copper
Temperature control	Output control
Anti-scalding protection	Thermostat with manual reset
IP rating	IP25
Shutdown value	1.4 l/min
Starting flow rate	1.8 l/min

Depth	93 mm
Height	177 mm
Width	204 mm
Weight	1.5 kg

Contact information

You have questions? We appreciate to help you:

Call 02-021-9300

Write an email to th-info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.