STIEBEL ELTRON

Technical datasheet

PRODUCT-NO.: 234073

DHD 6 EC (STE)

COMPACT INSTANTANEOUS WATER HEATER

European design with carbon fiber look for modern bathrooms, featuring 3-step temperature selection (40, 50, 60 $^{\circ}$ C) for multiple draw-off points. This is an excellent choice for medium amounts of hot water, for example to supply a hand washbasin and a shower.

The main features

Temperature adjustment via 3-step power control

Sufficient hot water for multiple draw-off points

Corrosion-resistant copper heating element and tank

Optional concealed water connection through the back panel

Flame-retardant electronic circuit board with protective cover for extra safety

Anti-scalding and overheating protection with thermal cut-out

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

Protection class IP25 (splash-proof)



STIEBEL ELTRON



| Туре | DHD 6 EC (STE) |
|----------|----------------|
| Part no. | 234073 |

Technical data

| Height | 360 mm |
|----------------------------|------------------------------|
| Width | 200 mm |
| Depth | 110 mm |
| Weight | 2 kg |
| Electrical fuse protection | ELCB |
| Rated output | 6.0 kW |
| Rated current | 27.3 A |
| Water connection | 1/2 inch |
| Shutdown value | 2.1 l/min |
| Starting flow rate | 2.5 l/min |
| Туре | Closed outlet |
| Automatic flow switch | true |
| Cylinder type | Copper |
| Temperature setting | 3-stage 40/50/60 °C |
| Temperature control | Output control |
| Anti-scalding protection | Thermostat with manual reset |
| IP rating | IP25 |
| | |



Technical datasheet

Colour

white

STIEBEL ELTRON

Contact information

You have questions? We appreciate to help you: Call 02-021-9300 Write an email to th-info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.