

## STIEBEL CHROME-2 (STE)

INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 343682

Ultimate relaxation for body and soul awaits you with our premium rain shower systems, designed to complement upscale interiors.

The rain shower head takes your shower experience to the next level.



### The main features

Temperature adjustment via stepless power control

---

Complete set optimised for a single shower

---

Elegant LED light band to indicate operation

---

Corrosion-resistant copper heating element and tank

---

Chrome rain shower system and 5-in-1 shower head on slide bar

---

Anti-scalding and overheating protection with double action thermostat

---

Protection from electric shock with Earth Leakage Circuit Breaker (ELCB)

---

Protection class IP25 (splash-proof)



Type	STIEBEL CHROME-2 (STE)
Part no.	343682

**Technical data**

Cold water connection	1/2 inch
Electrical fuse protection	ELCB
Rated output	4,500 W
Electrical connection	1/N/PE~220-240 V
Rated voltage	220-240 V
Rated current	20.5 A
Display	Standard
Heating element	Copper tubular
Type	Open outlet
Automatic flow switch	true
Heating material	Copper
Temperature setting	Variable
Temperature control	Output control
Anti-scalding protection	Double acting thermostat
Shower accessories	Rain shower system and 5-in-1 shower head on push bar

<b>Colour</b>	<b>Chrome</b>
<b>IP rating</b>	<b>IP25</b>
<b>Shutdown value</b>	<b>0.8 l/min</b>
<b>Starting flow rate</b>	<b>1.3 l/min</b>
<b>Depth</b>	<b>85 mm</b>
<b>Height</b>	<b>342 mm</b>
<b>Width</b>	<b>212 mm</b>
<b>Weight</b>	<b>1.5 kg</b>

## **Contact information**

**You have questions? We appreciate to help you:**

**Call 02-021-9300**

**Write an email to [th-info@stiebel-eltron.com](mailto:th-info@stiebel-eltron.com)**

## **Installation information**

**Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.**