

WS 45 E-2 TITANIUM (STE)

INSTANTANEOUS WATER HEATER FOR SHOWERS

PRODUCT-NO.: 208777

The main features

Shower holder with adjustable height and tough tempered mirror

Polyamide anti-twist shower hose stays tangle-free

5-in-1 shower head with slide bar

Step-less temperature adjustment

ELSD protection against electricity leakage

Corrosion-resistant copper heating element and tank

Anti-scalding and overheating protection with double action thermostat

Heat and Flame Retardant PCB

Energy Efficient – EGAT Label No. 5 – 5 Star



WS 35 E-2 TITANIUM (STE)

Product-No.: 208776



Type	WS 35 E-2 TITANIUM (STE)	WS 45 E-2 TITANIUM (STE)
Part no.	208776	208777

Technical data

Cold water connection	1/2 inch	1/2 inch
Electrical fuse protection	ELSD	ELSD
Rated output	3,500 W	4,500 W
Electrical connection	1/N/PE~220-240 V	1/N/PE~220-240 V
Rated voltage	22 V	220 V
Rated current	15,9 A	20,5 A
Heating element	Copper tubular	Copper tubular
Type	Open outlet	Open outlet
Automatic flow switch	true	true
Heating material	Copper	Copper
Temperature setting	Variable	Variable
Temperature control	Output control	Output control
Anti-scalding protection	Double acting thermostat	Double acting thermostat
Shower accessories	5-in-1 shower head with slide bar	5-in-1 shower head with slide bar
Colour	grey	grey

IP rating	IP25	IP25
Shutdown value	0.8 l/min	0.8 l/min
Starting flow rate	1.3 l/min	1.3 l/min
Depth	79 mm	79 mm
Height	326 mm	326 mm
Width	200 mm	200 mm
Weight	1.4 kg	1.4 kg

Contact information

You have questions? We appreciate to help you:

Call 02-021-9300

Write an email to th-info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.