VITA ROSE (STE)

SHOWER FILTER

PRODUCT-NO.: 203732

The main features

Pure Vitamin C (ascorbic acid) as an ingredient reduces residual chlorine and rust in tap water

Relieves skin irritation and other allergies


Improves the condition of the skin and hair

Good for lung and respiratory health as it reduces chlorine inhalation in the shower

Organic oil in the filter media improves the skin's moisture level during and after a shower

Saururus Chinensis extract has a natural antibacterial function that conditions the skin (except Vita Strawberry)

Choice of multiple fragrances to suit all tastes



Technical datasheet

Technical datasheet



Туре	VITA ACACIA (STE)	VITA GREEN TEA (STE)	VITA LAVENDER (STE)
Part no.	203731	203733	203729

Technical data

Height	138 mm	138 mm	138 mm
Diameter	46 mm	46 mm	46 mm
Weight	0.2 kg	0.2 kg	0.2 kg
Filter type	Water filter	Water filter	Water filter
Colour	white	white	white
Fragrance	Acacia	Green Tea	Lavender
Filtration stages	5 Stage	5 Stage	4 Stage
Filter stage 1	Sediment filter	Sediment filter	Sediment filter
Filter stage 2	Pure ascorbic	Pure ascorbic	Pure ascorbic
	acid (vitamin C)	acid (vitamin C)	acid (vitamin C)
Filter stage 3	Olive oil	Olive oil	Saururus
			chinensis extract
Filter stage 4	Saururus	Saururus	Naturally fragrant
	chinensis extract	chinensis extract	lavender oil
Filter stage 5	High grade artificial	Natural perfume	
	acacia fragrance	oil from green tea	
Temperature range	4 - 38 °C		4 - 38 °C
Connection	1/2 inch	1/2 inch	1/2 inch



Maximum flow rate	7 I	71	7 I



Туре	VITA ROSE (STE)	VITA STRAWBERRY (STE)
Part no.	203732	203730

Technical data

Height	136 mm	138 mm
Diameter	46 mm	46 mm
Weight	0.2 kg	0.2 kg
Filter type	Water filter	Water filter
Colour	white	white
Fragrance	Rose	Strawberry
Filtration stages	5 Stage	3.0 Stage
Filter stage 1	Sediment filter	Sediment filter
Filter stage 2	Pure ascorbic	Pure ascorbic
	acid (vitamin C)	acid (vitamin C)
Filter stage 3	Sweet almond oil	Naturally fragrant strawberry oil
Filter stage 4	Saururus chinensis extract	
Filter stage 5	High grade artificial rose fragrance	
Temperature range	4 - 38 °C	
Connection	1/2 inch	1/2 inch



Maximum flow rate	7 I	7 I	
	11	11	

Contact information

You have questions? We appreciate to help you: Call 02-021-9300 Write an email to th-info@stiebel-eltron.com

Installation information

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.